

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	8538	("370".CLAS.) AND ((circuit OR channel OR slot OR connection OR line OR frequenc\$3 OR uplink OR (up ADJ link) OR downlink OR (down ADJ link) OR forward OR reverse) NEAR (delay\$3 OR maintain\$3 OR preserv\$3 postpon\$3 OR stall\$3 OR retain\$3 OR sustain\$3 OR uphold\$3))	US-PGPUB; USPAT	OR	ON	2007/05/03 14:49
S2	6986	(370/276-278,280-282,294-296, 298,299,310,310.1,311-314, 329-337,340-350,351-545.CCLS.) AND ((circuit OR channel OR slot OR connection OR line OR frequenc\$3 OR uplink OR (up ADJ link) OR downlink OR (down ADJ link) OR forward OR reverse) NEAR (delay\$3 OR maintain\$3 OR preserv\$3 postpon\$3 OR stall\$3 OR retain\$3 OR sustain\$3 OR uphold\$3))	US-PGPUB; USPAT	OR	ON	2007/05/03 14:58
S3	4107	(370/276-278,280-282,294-296, 298,299,310,310.1,311-314, 329-337,340-350,351-545.CCLS.) AND ((circuit OR channel OR slot OR connection OR line OR frequenc\$3 OR uplink OR (up ADJ link) OR downlink OR (down ADJ link) OR forward OR reverse) NEAR (maintain\$3 OR preserv\$3 postpon\$3 OR stall\$3 OR retain\$3 OR sustain\$3 OR uphold\$3))	US-PGPUB; USPAT	OR	ON	2007/05/03 15:02
S4	3559	(370/276-278,280-282,294-296, 298,299,310,310.1,311-314, 329-337,340-350,351-463.CCLS.) AND ((circuit OR channel OR slot OR connection OR line OR frequenc\$3 OR uplink OR (up ADJ link) OR downlink OR (down ADJ link) OR forward OR reverse) NEAR (maintain\$3 OR preserv\$3 postpon\$3 OR stall\$3 OR retain\$3 OR sustain\$3 OR uphold\$3 OR ((kept OR keep\$3) ADJ up)))	US-PGPUB; USPAT	OR	ON	2007/05/03 15:05

EAST Search History

S5	3255	(370/276-278,280-282,294-296, 298,299,310,310.1,311-314, 329-337,340-350,351-430.CCLS.) AND ((circuit OR channel OR slot OR connection OR line OR frequenc\$3 OR uplink OR (up ADJ link) OR downlink OR (down ADJ link) OR forward OR reverse) NEAR (maintain\$3 OR preserv\$3 postpon\$3 OR stall\$3 OR retain\$3 OR sustain\$3 OR uphold\$3 OR ((kept OR keep\$3) ADJ up)))	US-PGPUB; USPAT	OR	ON	2007/05/03 15:08
S6	1780	(370/276-278,280-282,294-296, 298,299,310,310.1,311-314, 329-337,340-350,351,389-391. CCLS.) AND ((circuit OR channel OR slot OR connection OR line OR frequenc\$3 OR uplink OR (up ADJ link) OR downlink OR (down ADJ link) OR forward OR reverse) NEAR (maintain\$3 OR preserv\$3 postpon\$3 OR stall\$3 OR retain\$3 OR sustain\$3 OR uphold\$3 OR ((kept OR keep\$3) ADJ up)))	US-PGPUB; USPAT	OR	ON	2007/05/03 15:13
S7	175	(370/276-278,280-282,294-296, 298,299,310,310.1,311-314, 329-337,340-350,351,389-391. CCLS.) AND ((circuit OR channel OR slot OR connection OR line OR frequenc\$3 OR uplink OR (up ADJ link) OR downlink OR (down ADJ link) OR forward OR reverse) NEAR (maintain\$3 OR preserv\$3 postpon\$3 OR stall\$3 OR retain\$3 OR sustain\$3 OR uphold\$3 OR ((kept OR keep\$3) ADJ up))) AND (gprs OR poc)	US-PGPUB; USPAT	OR	ON	2007/05/03 15:15
S8	125	(370/276-278,280-282,294-296. CCLS.) AND ((circuit OR channel OR slot OR connection OR line OR frequenc\$3 OR uplink OR (up ADJ link) OR downlink OR (down ADJ link) OR forward OR reverse) NEAR (maintain\$3 OR preserv\$3 postpon\$3 OR stall\$3 OR retain\$3 OR sustain\$3 OR uphold\$3 OR ((kept OR keep\$3) ADJ up)))	US-PGPUB; USPAT	OR	ON	2007/05/03 15:38

EAST Search History

S9	173	(370/298,299,310,310.1,311-314, 329-337,340-350,351,389-391. CCLS.) AND ((circuit OR channel OR slot OR connection OR line OR frequenc\$3 OR uplink OR (up ADJ link) OR downlink OR (down ADJ link) OR forward OR reverse) NEAR (maintain\$3 OR preserv\$3 postpon\$3 OR stall\$3 OR retain\$3 OR sustain\$3 OR uphold\$3 OR ((kept OR keep\$3) ADJ up))) AND (gprs OR poc)	US-PGPUB; USPAT	OR	ON	2007/05/03 15:25
S10	1670	(370/298,299,310,310.1,311-314, 329-337,340-350,351,389-391. CCLS.) AND ((circuit OR channel OR slot OR connection OR line OR frequenc\$3 OR uplink OR (up ADJ link) OR downlink OR (down ADJ link) OR forward OR reverse) NEAR (maintain\$3 OR preserv\$3 postpon\$3 OR stall\$3 OR retain\$3 OR sustain\$3 OR uphold\$3 OR ((kept OR keep\$3) ADJ up))) AND (gprs OR (general OR packet OR radio OR service) OR poc OR (push ADJ to ADJ call))	US-PGPUB; USPAT	OR	ON	2007/05/03 15:28
S11	668	(370/298,299,310,310.1,311-314, 329-337,340-350,351,389-391. CCLS.) AND ((circuit OR channel OR slot OR connection OR line OR frequenc\$3 OR uplink OR (up ADJ link) OR downlink OR (down ADJ link) OR forward OR reverse) NEAR (maintain\$3 OR preserv\$3 postpon\$3 OR stall\$3 OR retain\$3 OR sustain\$3 OR uphold\$3 OR ((kept OR keep\$3) ADJ up))) AND (gprs OR (general OR packet OR radio OR service) OR poc OR (push ADJ to ADJ call)) AND (router OR server)	US-PGPUB; USPAT	OR	ON	2007/05/03 16:13
S12	172	(370/276-278,280-282,294-296. CCLS.) AND ((circuit OR channel OR connection OR line OR uplink OR (up ADJ link) OR downlink OR (down ADJ link) OR forward OR reverse) NEAR (maintain\$3 OR preserv\$3 postpon\$3 OR stall\$3 OR retain\$3 OR sustain\$3 OR uphold\$3 OR delay\$3 OR ((kept OR keep\$3) ADJ up)))	US-PGPUB; USPAT	OR	ON	2007/05/03 15:49
S13	1	10/727726.APP.	US-PGPUB; USPAT	OR	ON	2007/05/03 15:50

EAST Search History

S14	419	(370/310,310.1,311-314,329-337, 340-350.CCLS.) AND ((circuit OR channel OR slot OR connection OR line OR frequency OR uplink OR (up ADJ link) OR downlink OR (down ADJ link) OR forward OR reverse) NEAR (maintain OR preserve OR postpone OR stall OR retain OR sustain OR uphold OR ((kept OR keep) ADJ up))) AND (gprs OR (general OR packet OR radio OR service) OR poc OR (push ADJ to ADJ call)) AND (router OR server)	US-PGPUB; USPAT	OR	ON	2007/05/03 16:14
-----	-----	---	--------------------	----	----	------------------

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4408	(370/389.CCLS.)	US-PGPUB; USPAT	OR	ON	2007/05/07 07:59
S2	315	(370/389.CCLS.) AND ((circuit OR channel OR slot OR connection OR line OR frequenc\$3 OR uplink OR (up ADJ link) OR downlink OR (down ADJ link) OR forward OR reverse) NEAR (maintain\$3 OR preserv\$3 postpon\$3 OR stall\$3 OR retain\$3 OR sustain\$3 OR uphold\$3 OR delay\$3 OR ((kept OR keep\$3) ADJ up)))	US-PGPUB; USPAT	OR	ON	2007/05/03 16:26
S3	222	(370/389.CCLS.) AND ((circuit OR channel OR slot OR connection OR line OR frequenc\$3 OR uplink OR (up ADJ link) OR downlink OR (down ADJ link) OR forward OR reverse) NEAR (maintain\$3 OR preserv\$3 postpon\$3 OR stall\$3 OR retain\$3 OR sustain\$3 OR uphold\$3 OR ((kept OR keep\$3) ADJ up)))	US-PGPUB; USPAT	OR	ON	2007/05/03 16:42
S4	221	(370/389.CCLS.) AND ((circuit OR channel OR slot OR connection OR line OR frequenc\$3 OR uplink OR (up ADJ link) OR downlink OR (down ADJ link) OR forward OR reverse) NEAR (maintain\$3 OR preserv\$3 postpon\$3 OR stall\$3 OR retain\$3 OR sustain\$3 OR uphold\$3 OR ((kept OR keep\$3) ADJ up))) AND (gprs OR (general OR packet OR radio OR service) OR poc OR (push ADJ to ADJ call))	US-PGPUB; USPAT	OR	ON	2007/05/03 16:44
S5	13	(370/389.CCLS.) AND ((circuit OR channel OR slot OR connection OR line OR frequenc\$3 OR uplink OR (up ADJ link) OR downlink OR (down ADJ link) OR forward OR reverse) NEAR (maintain\$3 OR preserv\$3 postpon\$3 OR stall\$3 OR retain\$3 OR sustain\$3 OR uphold\$3 OR ((kept OR keep\$3) ADJ up))) AND (gprs OR (general ADJ packet ADJ radio ADJ service) OR poc OR (push ADJ to ADJ call))	US-PGPUB; USPAT	OR	ON	2007/05/03 16:57

EAST Search History

S6	4	(370/276,278,280-282.CCLS.) AND ((circuit OR channel OR slot OR connection OR line OR frequency OR uplink OR (up ADJ link) OR downlink OR (down ADJ link) OR forward OR reverse) NEAR (maintain OR preserve OR postpone OR stall OR retain OR sustain OR uphold OR ((kept OR keep) ADJ up))) AND (gprs OR (general ADJ packet ADJ radio ADJ service) OR poc OR (push ADJ to ADJ call))	US-PGPUB; USPAT	OR	ON	2007/05/07 12:45
S7	4	(370/276,278,280-282.CCLS.) AND ((circuit OR channel OR slot OR connection OR line OR frequency OR uplink OR (up ADJ link) OR downlink OR (down ADJ link) OR forward OR reverse) NEAR (maintain OR preserve OR postpone OR stall OR retain OR sustain OR uphold OR (keep ADJ alive) OR ((kept OR keep) ADJ up))) AND (gprs OR (general ADJ packet ADJ radio ADJ service) OR poc OR (push ADJ to ADJ call))	US-PGPUB; USPAT	OR	ON	2007/05/03 17:00
S8	94	(370/276,278,280-282.CCLS.) AND ((circuit OR channel OR slot OR connection OR line OR frequency OR uplink OR (up ADJ link) OR downlink OR (down ADJ link) OR forward OR reverse) NEAR (maintain OR preserve OR postpone OR stall OR retain OR sustain OR uphold OR (keep ADJ alive) OR ((kept OR keep) ADJ up)))	US-PGPUB; USPAT	OR	ON	2007/05/03 17:00
S9	1	"6466544".PN.	US-PGPUB; USPAT	OR	ON	2007/05/07 13:52
S10	532	(370/351-360,386-392,396,420,431,443.CCLS.) AND ((null OR test OR empty OR nonspeech OR (non ADJ speech)) NEAR (packet OR frame))	US-PGPUB; USPAT	OR	ON	2007/05/07 13:13
S11	11	(370/351-360,386-392,396,420,431,443.CCLS.) AND ((null OR test OR empty OR nonspeech OR (non ADJ speech)) NEAR (packet OR frame)) AND (gprs OR (general ADJ packet ADJ radio ADJ service))	US-PGPUB; USPAT	OR	ON	2007/05/07 13:13

EAST Search History

S12	597	(370/351-360,386-392,396,420,431, 443.CCLS.) AND ((null OR test OR empty OR nonspeech OR (non ADJ speech) OR dummy) NEAR (packet OR frame))	US-PGPUB; USPAT	OR	ON	2007/05/07 13:14
S13	18	(370/351-360,386-392,396,420,431, 443.CCLS.) AND ((null OR test OR empty OR nonspeech OR (non ADJ speech) OR dummy) NEAR (packet OR frame)) AND (gprs OR (general ADJ packet ADJ radio ADJ service))	US-PGPUB; USPAT	OR	ON	2007/05/07 13:40
S14	76	("370".CLAS.) AND ((null OR test OR empty OR nonspeech OR (non ADJ speech) OR dummy) NEAR (packet OR frame)) AND (gprs OR (general ADJ packet ADJ radio ADJ service))	US-PGPUB; USPAT	OR	ON	2007/05/07 14:30
S15	58	S14 NOT S13	US-PGPUB; USPAT	OR	ON	2007/05/07 13:40
S16	1	"6671511".PN.	US-PGPUB; USPAT	OR	ON	2007/05/07 13:52
S17	235	("370".CLAS.) AND ((signal\$3) NEAR (packet OR frame)) AND (gprs OR (general ADJ packet ADJ radio ADJ service))	US-PGPUB; USPAT	OR	ON	2007/05/07 15:10
S18	317	(455/68,69.CCLS.) AND ((signal\$3 OR messag\$3 OR control\$3) NEAR (packet OR frame))	US-PGPUB; USPAT	OR	ON	2007/05/07 15:15
S19	27	(455/68,69.CCLS.) AND ((signal\$3 OR messag\$3 OR control\$3) NEAR (packet OR frame)) AND (gprs OR (general ADJ packet ADJ radio ADJ service))	US-PGPUB; USPAT	OR	ON	2007/05/07 15:12
S20	150	(455/68,69.CCLS.) AND ((circuit OR channel OR connection OR line OR uplink OR downlink OR forward OR reverse) NEAR (maintain\$3 OR preserv\$3 postpon\$3 OR stall\$3 OR retain\$3 OR sustain\$3 OR uphold\$3 OR ((kept OR keep\$3) ADJ (up OR alive))))	US-PGPUB; USPAT	OR	ON	2007/05/08 16:09
S21	401	(455/450-452.2,464,509.CCLS.) AND ((circuit OR channel OR connection OR line OR uplink OR downlink OR forward OR reverse) NEAR (maintain\$3 OR preserv\$3 postpon\$3 OR stall\$3 OR retain\$3 OR sustain\$3 OR uphold\$3 OR ((kept OR keep\$3) ADJ (up OR alive))))	US-PGPUB; USPAT	OR	ON	2007/05/08 16:10

EAST Search History

S22	5	(455/450-452.2,464,509.CCLS.) AND ((circuit OR channel OR connection OR line OR uplink OR downlink OR forward OR reverse) NEAR (maintain\$3 OR preserv\$3 postpon\$3 OR stall\$3 OR retain\$3 OR sustain\$3 OR uphold\$3 OR ((kept OR keep\$3) ADJ (up OR alive))) NEAR (packet OR frame))	US-PGPUB; USPAT	OR	ON	2007/05/08 16:51
S23	1	(455/68,69.CCLS.) AND ((circuit OR channel OR connection OR line OR uplink OR downlink OR forward OR reverse) NEAR (maintain\$3 OR preserv\$3 postpon\$3 OR stall\$3 OR retain\$3 OR sustain\$3 OR uphold\$3 OR ((kept OR keep\$3) ADJ (up OR alive))) NEAR (packet OR frame))	US-PGPUB; USPAT	OR	ON	2007/05/08 16:52
S24	180	(455/68,69.CCLS.) AND ((circuit OR channel OR connection OR line OR link OR uplink OR downlink OR forward OR reverse) NEAR (maintain\$3 OR preserv\$3 postpon\$3 OR stall\$3 OR retain\$3 OR sustain\$3 OR uphold\$3 OR ((kept OR keep\$3) ADJ (up OR alive))))	US-PGPUB; USPAT	OR	ON	2007/05/08 16:10
S25	462	(455/450-452.2,464,509.CCLS.) AND ((circuit OR channel OR connection OR line OR uplink OR downlink OR forward OR reverse OR link) NEAR (maintain\$3 OR preserv\$3 postpon\$3 OR stall\$3 OR retain\$3 OR sustain\$3 OR uphold\$3 OR ((kept OR keep\$3) ADJ (up OR alive))))	US-PGPUB; USPAT	OR	ON	2007/05/08 16:10
S26	439	(455/450-452.2,464,509.CCLS.) AND ((circuit OR channel OR connection OR line OR uplink OR downlink OR forward OR reverse) SAME (maintain\$3 OR preserv\$3 postpon\$3 OR stall\$3 OR retain\$3 OR sustain\$3 OR uphold\$3 OR ((kept OR keep\$3) ADJ (up OR alive))) SAME (packet OR frame))	US-PGPUB; USPAT	OR	ON	2007/05/08 16:53
S27	196	(455/68,69.CCLS.) AND ((circuit OR channel OR connection OR line OR uplink OR downlink OR forward OR reverse) SAME (maintain\$3 OR preserv\$3 postpon\$3 OR stall\$3 OR retain\$3 OR sustain\$3 OR uphold\$3 OR ((kept OR keep\$3) ADJ (up OR alive))) SAME (packet OR frame))	US-PGPUB; USPAT	OR	ON	2007/05/08 16:54

EAST Search History

S28	95	(455/450-452.2,464,509.CCLS.) AND (((circuit OR channel OR connection OR line OR uplink OR downlink OR forward OR reverse) NEAR (maintain\$3 OR preserv\$3 postpon\$3 OR stall\$3 OR retain\$3 OR sustain\$3 OR uphold\$3 OR ((kept OR keep\$3) ADJ (up OR alive)))) SAME (packet OR frame OR ping))	US-PGPUB; USPAT	OR	ON	2007/05/08 16:54
S29	26	(455/68,69.CCLS.) AND (((circuit OR channel OR connection OR line OR uplink OR downlink OR forward OR reverse) NEAR (maintain\$3 OR preserv\$3 postpon\$3 OR stall\$3 OR retain\$3 OR sustain\$3 OR uphold\$3 OR ((kept OR keep\$3) ADJ (up OR alive)))) SAME (packet OR frame))	US-PGPUB; USPAT	OR	ON	2007/05/08 16:55

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	428	("370"/\$.CCLS.) AND (gprs OR (general ADJ packet ADJ radio ADJ service)) AND (silent OR silence OR inactive OR (in ADJ active) OR in-active)	US-PGPUB; USPAT	OR	ON	2007/05/11 13:58
S2	1	"6212175".PN.	US-PGPUB; USPAT	OR	ON	2007/05/09 10:38
S3	1000	("370"/\$.CCLS.) AND (gprs OR (general ADJ packet ADJ radio ADJ service)) AND (silent OR silence OR inactive OR (in ADJ active) OR in-active OR idle)	US-PGPUB; USPAT	OR	ON	2007/05/09 12:26
S4	528	("370"/\$.CCLS.) AND (gprs OR (general ADJ packet ADJ radio ADJ service)) AND (silent OR silence OR inactive OR (in ADJ active) OR in-active OR idle) AND dedicated	US-PGPUB; USPAT	OR	ON	2007/05/09 10:48
S5	225	("370"/\$.CCLS.) AND (gprs OR (general ADJ packet ADJ radio ADJ service)) AND (silent OR silence OR inactive OR (in ADJ active) OR in-active) AND dedicated	US-PGPUB; USPAT	OR	ON	2007/05/09 10:50
S6	217	("370"/\$.CCLS.) AND @ad<"20021213" AND (gprs OR (general ADJ packet ADJ radio ADJ service)) AND (silent OR silence OR inactive OR (in ADJ active) OR in-active)	US-PGPUB; USPAT	OR	ON	2007/05/09 11:17
S7	428	("370"/\$.CCLS.) AND (gprs OR (general ADJ packet ADJ radio ADJ service)) AND (silent OR silence OR inactive OR (in ADJ active) OR in-active)	US-PGPUB; USPAT	OR	ON	2007/05/09 12:26
S8	1000	("370"/\$.CCLS.) AND (gprs OR (general ADJ packet ADJ radio ADJ service)) AND (silent OR silence OR inactive OR (in ADJ active) OR in-active OR idle)	US-PGPUB; USPAT	OR	ON	2007/05/09 12:26
S9	572	S8 NOT S7	US-PGPUB; USPAT	OR	ON	2007/05/09 12:27
S10	7	("20040120253" "6044266" "6477181" "6490271" "6529497" "6532225" "6683860").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/10 07:56
S11	1	"6671511".PN.	US-PGPUB; USPAT	OR	ON	2007/05/10 07:56

EAST Search History

S12	431	("370"/\$.CCLS.) AND (gprs OR (general ADJ packet ADJ radio ADJ service)) AND (silent OR silence OR inactive OR (in ADJ active) OR in-active)	US-PGPUB; USPAT	OR	ON	2007/05/11 14:04
S13	162	S12 AND ((append\$3 OR concatenat\$3 OR attach\$3) SAME (packet OR frame OR cell OR message))	US-PGPUB; USPAT	OR	ON	2007/05/11 14:04

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	428	("370"/\$.CCLS.) AND (gprs OR (general ADJ packet ADJ radio ADJ service)) AND (silent OR silence OR inactive OR (in ADJ active) OR in-active)	US-PGPUB; USPAT	OR	ON	2007/05/14 16:35
S2	1	"6212175".PN.	US-PGPUB; USPAT	OR	ON	2007/05/09 10:38
S3	1000	("370"/\$.CCLS.) AND (gprs OR (general ADJ packet ADJ radio ADJ service)) AND (silent OR silence OR inactive OR (in ADJ active) OR in-active OR idle)	US-PGPUB; USPAT	OR	ON	2007/05/09 12:26
S4	528	("370"/\$.CCLS.) AND (gprs OR (general ADJ packet ADJ radio ADJ service)) AND (silent OR silence OR inactive OR (in ADJ active) OR in-active OR idle) AND dedicated	US-PGPUB; USPAT	OR	ON	2007/05/09 10:48
S5	225	("370"/\$.CCLS.) AND (gprs OR (general ADJ packet ADJ radio ADJ service)) AND (silent OR silence OR inactive OR (in ADJ active) OR in-active) AND dedicated	US-PGPUB; USPAT	OR	ON	2007/05/09 10:50
S6	217	("370"/\$.CCLS.) AND @ad<"20021213" AND (gprs OR (general ADJ packet ADJ radio ADJ service)) AND (silent OR silence OR inactive OR (in ADJ active) OR in-active)	US-PGPUB; USPAT	OR	ON	2007/05/09 11:17
S7	428	("370"/\$.CCLS.) AND (gprs OR (general ADJ packet ADJ radio ADJ service)) AND (silent OR silence OR inactive OR (in ADJ active) OR in-active)	US-PGPUB; USPAT	OR	ON	2007/05/09 12:26
S8	1000	("370"/\$.CCLS.) AND (gprs OR (general ADJ packet ADJ radio ADJ service)) AND (silent OR silence OR inactive OR (in ADJ active) OR in-active OR idle)	US-PGPUB; USPAT	OR	ON	2007/05/09 12:26
S9	572	S8 NOT S7	US-PGPUB; USPAT	OR	ON	2007/05/09 12:27
S10	7	("20040120253" "6044266" "6477181" "6490271" "6529497" "6532225" "6683860").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/10 07:56
S11	1	"6671511".PN.	US-PGPUB; USPAT	OR	ON	2007/05/10 07:56

EAST Search History

S12	431	("370"/\$.CCLS.) AND (gprs OR (general ADJ packet ADJ radio ADJ service)) AND (silent OR silence OR inactive OR (in ADJ active) OR in-active)	US-PGPUB; USPAT	OR	ON	2007/05/11 14:04
S13	162	S12 AND ((append\$3 OR concatenat\$3 OR attach\$3) SAME (packet OR frame OR cell OR message))	US-PGPUB; USPAT	OR	ON	2007/05/11 14:09
S14	431	("370"/\$.CCLS.) AND (gprs OR (general ADJ packet ADJ radio ADJ service)) AND (silent OR silence OR inactive OR (in ADJ active) OR in-active)	US-PGPUB; USPAT	OR	ON	2007/05/11 14:09
S15	85	S14 AND @ad<"20021213" AND ((append\$3 OR concatenat\$3 OR attach\$3) SAME (packet OR frame OR cell OR message))	US-PGPUB; USPAT	OR	ON	2007/05/11 14:11
S16	28	S14 AND @ad<"20021213" AND ((append\$3 OR concatenat\$3 OR attach\$3) NEAR (packet OR frame OR cell OR message))	US-PGPUB; USPAT	OR	ON	2007/05/11 14:13
S17	32	("370"/\$.CCLS.) AND ((acknowledg\$3 OR return\$3 OR repl\$3) NEAR (duplicate OR copy OR replicate) NEAR (packet OR cell OR frame OR message))	US-PGPUB; USPAT	OR	ON	2007/05/11 14:38
S18	24	("370"/\$.CCLS.) AND (return NEAR packet NEAR sender)	US-PGPUB; USPAT	OR	ON	2007/05/14 12:27
S19	32	("370"/\$.CCLS.) AND (return\$3 NEAR packet NEAR sender)	US-PGPUB; USPAT	OR	ON	2007/05/11 14:53
S20	0	("370"/\$.CCLS.) AND (return\$3 NEAR (copy OR duplicate OR replicate) NEAR packet NEAR sender)	US-PGPUB; USPAT	OR	ON	2007/05/11 14:40
S21	359	((terminal OR device OR handset OR display) NEAR (signal\$3 OR prompt\$3 OR indicat\$3 OR alert\$3) NEAR (user OR personnel OR operator)) AND (gprs OR ptt)	US-PGPUB; USPAT	OR	ON	2007/05/11 14:58
S22	78	((terminal OR device OR handset OR display) NEAR (signal\$3 OR prompt\$3 OR indicat\$3 OR alert\$3) NEAR (user OR personnel OR operator)) AND (gprs OR ptt) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2007/05/11 14:58

EAST Search History

S23	15	("370"/\$.CCLS.) AND @ad<"20021213" AND ((response OR respond\$3 OR return\$3 OR reply\$3) NEAR uplink NEAR (packet OR frame OR cell OR message))	US-PGPUB; USPAT	OR	ON	2007/05/11 15:24
S24	84	("370"/\$.CCLS.) AND @ad<"20021213" AND ((packet OR frame OR message OR cell) SAME ("500" NEAR (milli-second OR (milli NEAR second) OR millisecond))))	US-PGPUB; USPAT	OR	ON	2007/05/11 15:28
S25	1	("370"/\$.CCLS.) AND @ad<"20021213" AND ((packet OR frame OR message OR cell) SAME ("500" NEAR (milli-second OR (milli NEAR second) OR millisecond)) NEAR (interval OR segment OR period))	US-PGPUB; USPAT	OR	ON	2007/05/11 15:29
S26	1	("370"/\$.CCLS.) AND @ad<"20021213" AND ((packet OR frame OR message OR cell) SAME ("500" NEAR (milli-second OR (milli NEAR second) OR millisecond) NEAR (interval OR segment OR period))))	US-PGPUB; USPAT	OR	ON	2007/05/11 15:30
S27	7	("370"/\$.CCLS.) AND @ad<"20021213" AND (("500" NEAR (milli-second OR (milli NEAR second) OR millisecond) NEAR (interval OR segment OR period))))	US-PGPUB; USPAT	OR	ON	2007/05/11 15:31
S28	37	("370"/\$.CCLS.) AND @ad<"20021213" AND (("500" NEAR (milli-second OR (milli NEAR second) OR millisecond OR ms) NEAR (interval OR segment OR period))))	US-PGPUB; USPAT	OR	ON	2007/05/11 15:34
S29	4	@ad<"20021213" AND ("500" NEAR (milli-second OR (milli NEAR second) OR millisecond OR ms) NEAR (interval OR segment OR period) NEAR (send\$3 OR transmit\$3))	US-PGPUB; USPAT	OR	ON	2007/05/11 15:39
S30	23	@ad<"20021213" AND ((talk\$3 OR conervation) NEAR pause)	US-PGPUB; USPAT	OR	ON	2007/05/11 15:39
S31	5238	("370"/\$.CCLS.) AND (return\$3 NEAR (packet OR message OR cell OR frame))	US-PGPUB; USPAT	OR	ON	2007/05/14 12:30
S32	3830	("370"/\$.CCLS.) AND (return\$3 NEAR (packet OR message OR cell OR frame)) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2007/05/14 12:39

EAST Search History

S33	9	("370"/\$.CCLS.) AND (return\$3 NEAR (packet OR message OR cell OR frame) NEAR (copy OR replicate OR duplicate)) AND @ad<"20021213"	US-PGPUB; USPAT	OR	ON	2007/05/14 12:32
S34	129	("370"/\$.CCLS.) AND (return\$3 NEAR (packet OR message OR cell OR frame)) AND @ad<"20021213" AND (gprs OR (general ADJ packet ADJ radio ADJ service))	US-PGPUB; USPAT	OR	ON	2007/05/14 12:39
S35	4	("5553079" "5642354" "5740531" "5745695").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/14 17:16
S37	18	("6282182").URPN.	USPAT	OR	ON	2007/05/14 17:17

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"6873604".PN.	US-PGPUB; USPAT	OR	ON	2007/05/15 08:24
S2	8	("4864561" "5537509" "5657422" "5787388" "5794199" "5978760" "6282182" "6577862").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/15 08:25
S3	0	("6873604").URPN.	USPAT	OR	ON	2007/05/15 08:24
S4	3	("370"/\$.CCLS.) AND ((sid OR silence NEAR (indicator OR indicator))) NEAR (interval OR period OR delay) AND (gprs OR (general NEAR packet NEAR radio NEAR service)))	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/15 08:47
S5	89	("370"/\$.CCLS.) AND ((silent OR silence OR quiet) NEAR (interval OR period OR delay OR start\$3 OR initiat\$1 OR begin\$4) AND (gprs OR (general NEAR packet NEAR radio NEAR service)))	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/15 10:20
S6	10	("370"/\$.CCLS.) AND ((silent OR silence OR quiet) NEAR (start\$3 OR initiat\$1 OR begin\$4) AND (gprs OR (general NEAR packet NEAR radio NEAR service)))	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/15 08:49
S7	49	("370"/\$.CCLS.) AND ((silent OR silence OR quiet) NEAR (interval OR period OR delay OR start\$3 OR initiat\$1 OR begin\$4) AND (gprs OR (general NEAR packet NEAR radio NEAR service))) AND @ad<"20021213"	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/15 10:23
S8	175	("370"/\$.CCLS.) AND (((channel OR circuit OR link OR uplink OR downlink) NEAR (terminat\$3 OR drop\$3 OR end\$3 OR finish\$3 OR releas\$3)) AND (gprs OR (general NEAR packet NEAR radio NEAR service))) AND @ad<"20021213"	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/15 12:16
S9	7	("370"/\$.CCLS.) AND (((channel OR circuit OR link OR uplink OR downlink) NEAR (terminat\$3 OR drop\$3 OR end\$3 OR finish\$3 OR releas\$3 OR remov\$3) NEAR (delay OR time OR period OR interval)) AND (gprs OR (general NEAR packet NEAR radio NEAR service))) AND @ad<"20021213"	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/15 12:38

EAST Search History

S10	4	("455"/\$.CCLS.) AND (((channel OR circuit OR link OR uplink OR downlink) NEAR (terminat\$3 OR drop\$3 OR end\$3 OR finish\$3 OR releas\$3 OR remov\$3) NEAR (delay OR time OR period OR interval)) AND (gprs OR (general NEAR packet NEAR radio NEAR service))) AND @ad<"20021213"	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/15 12:40
S11	87	("370"/\$.CCLS.) AND (((channel OR circuit OR link OR uplink OR downlink) NEAR (terminat\$3 OR drop\$3 OR end\$3 OR finish\$3 OR releas\$3 OR remov\$3) SAME (delay OR time OR period OR interval)) AND (gprs OR (general NEAR packet NEAR radio NEAR service))) AND @ad<"20021213"	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/15 13:00
S12	3	("370"/\$.CCLS.) AND (dummy NEAR packet NEAR rate) AND @ad<"20021213"	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/15 13:02
S13	2318	("370"/\$.CCLS.) AND (packet NEAR rate) AND @ad<"20021213"	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/15 13:02
S14	7	("370"/\$.CCLS.) AND (ping NEAR rate) AND @ad<"20021213"	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/15 13:13
S15	29	("370"/\$.CCLS.) AND ("500" NEAR (ms OR millisecond) NEAR (interval OR period)) AND @ad<"20021213"	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/15 13:16
S16	0	("370"/\$.CCLS.) AND ("500" NEAR packet NEAR rate) AND @ad<"20021213"	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/15 13:21
S17	9	("370"/\$.CCLS.) AND ("2" NEAR packet NEAR rate) AND @ad<"20021213"	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/15 13:26
S18	2	("370"/\$.CCLS.) AND (two NEAR packet NEAR rate) AND @ad<"20021213"	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/15 13:26
S19	5	("455"/\$.CCLS.) AND (("2" OR two) NEAR packet NEAR rate) AND @ad<"20021213"	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/15 13:27
S20	0	("455"/\$.CCLS.) AND (buffer NEAR "5" NEAR packet) AND @ad<"20021213"	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/15 13:28
S21	1157	("370"/\$.CCLS.) AND ("5" NEAR packet) AND @ad<"20021213"	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/15 13:28